

# Package: treesitter.r (via r-universe)

June 25, 2024

**Title** 'R' Grammar for 'Tree-Sitter'

**Version** 1.0.1

**Description** Provides bindings to an 'R' grammar for 'Tree-sitter', to be used alongside the 'treesitter' package. 'Tree-sitter' builds concrete syntax trees for source files of any language, and can efficiently update those syntax trees as the source file is edited.

**License** MIT + file LICENSE

**URL** <https://github.com/r-lib/tree-sitter-r>

**BugReports** <https://github.com/r-lib/tree-sitter-r/issues>

**Depends** R (>= 4.3.0)

**Suggests** testthat (>= 3.0.0), treesitter

**Config/build/bootstrap** TRUE

**Config/Needs/website** tidyverse/tidytemplate

**Config/testthat/edition** 3

**Encoding** UTF-8

**RoxygenNote** 7.3.1

**NeedsCompilation** yes

**Author** Davis Vaughan [aut, cre], Posit Software, PBC [cph, fnd],  
Tree-sitter authors [cph] (Tree-sitter C headers and parser.c)

**Maintainer** Davis Vaughan <davis@posit.co>

**Date/Publication** 2024-06-24 15:30:02 UTC

**Repository** <https://davisvaughan.r-universe.dev>

**RemoteUrl** <https://github.com/cran/treesitter.r>

**RemoteRef** HEAD

**RemoteSha** 0c13707a28e71000dd4a2d2126d04eb5a8b3a0c4

## Contents

language . . . . .	2
--------------------	---

**Index****3**

---

language	<i>tree-sitter language for R</i>
----------	-----------------------------------

---

**Description**

language() returns a tree\_sitter\_language object for R for use with the treesitter package.

**Usage**

```
language()
```

**Value**

A tree\_sitter\_language object.

**Examples**

```
language()
```

# Index

language, [2](#)